

Model 3400

Impact Doors

Rugged, reliable Model 3400 Impact Doors.

For use in a wide range of applications.

Versatile design fits most environments, including washdown and cooler environments.

Superior visibility.

Unique polycarbonate vision options provide increased safety for employees.

Lightweight design.

Ideal for pedestrian and cart traffic areas.

Exceptional seal.

Full perimeter gasketing available.

Durable construction.

- 3/4" square steel tubular frame with foam core.
- Full height metal stile, shaft and hardware.
- Rigid ABS facing riveted to frame.

Washdown capabilities.

Aluminum and stainless steel components allow washdown application.



Get Reliability and Versatility With Our Model 3400 Impact Door.


Here is one of the most rugged and versatile impact doors available today. Our Model 3400 is dependable in a wide variety of door openings, including washdown environments and coolers. In addition, the 3400 gives you a choice of standard vision options to improve visibility and safety at your door openings.

The durable, lightweight 3400 door is ideal for both cart and pedestrian traffic. For more information on our full line of high performance doors, contact your Rite-Hite representative or call 1-800-456-0600.

RITE-HITE[®]
DOORS
The Leading Edge In Door Safety.

Look into the advantages of our Model 3400 door.

Choose opening size dimensions from 4' x 7' to 8' x 8'. This door accepts load widths up to 60% of the opening, and can provide sound attenuation of 12db. With a temperature range from +40° F to +90° F, this versatile design accommodates washdown or cold storage applications. Satisfaction is guaranteed with a limited 1-year parts and labor warranty and our exclusive 1-year money back guarantee.



Consider these other 3000 Series door solutions.

Get long-lasting durability with our **Model 3600** door.

This rugged Model 3600 impact door features inch-thick panels and can provide 12db of sound attenuation. It's ideal for a wide variety of applications that handle pedestrian and light-duty traffic.

Tough 1" panels utilize a 3/4" thick wood core and 1/8" ABS facing to resist impacts, dents and gouges

12" x 17" polycarbonate vision panel provides excellent visibility

Durable 1" diameter cold-rolled steel shaft welded to a steel stile

3/4" cam rise, gravity close hardware standard for ease of operation

Variety of options available to fit your specific application



Get value and dependability with our **Model 3800** door.

Here's your cost-efficient choice for a wide range of applications with pedestrian and light-duty cart traffic. This Model 3800 door is USDA-approved and is ideal for washdown environments.

Tough 1/4" ABS panels are lightweight yet resist scuffs, impacts, dents and gouges

12" x 17" polycarbonate vision panels provide excellent visibility

Durable 1" diameter cold rolled steel shaft and full height black extruded PVC outer stile

Stainless steel shaft available for use in washdown environments

3/4" cam rise, gravity close hardware standard for ease of operation

Variety of options available to fit many different applications



Choose the 3000 Series Impact Door that matches your application.

Application	3400	3600	3800
Pedestrian Traffic	●	●	●
Cart Traffic	●	●	●
Light Motorized Traffic	●	●	
Sound Control	●	●	
Temperature Control	●	●	
Washdown	●		●
Cold Storage	●		
Visibility	●	●	●
Enhanced Visibility	●		
Full Perimeter Seal Available	●	●	
USDA Approved			●

Ask your Rite-Hite Doors representative for more details.

Our Rite-Hite Doors specialists are trained and ready to help you find the right doors for your specific applications. And these rugged impact doors are backed by the best guarantees in the business. We offer a limited 1-year parts and labor warranty, plus our exclusive 1-year money-back guarantee. Just ask your representative for full details.



Rite-Hite Corporation

8900 North Arbon Drive, Milwaukee, Wisconsin 53223

414-355-2600 or toll-free: 800-456-0600

Fax: 414-355-4640

www.ritehite.com

RITE-HITE
DOORS
The Leading Edge In Door Safety.